

Product data sheet for uvex u-chem 3500



The uvex u-chem 3500 chemical protection gloves are ideal for handling a variety of different chemicals. Thanks to their full-surface chloroprene and NBR coating, the gloves offer excellent grip and are resistant to acetone, cleaning agents, adhesives and solvents.

Characteristics

- Good grip
- Anatomical fit

Material number 60188

7 - 11

Standard EN 420:2003 + A1:2009,
EN 388:2016, EN ISO 374-1:2016,
EN ISO 374-5:2016, EN 407:2004

Test chemicals Methanol (A), Acetonitrile (C), n-Heptane (J), Sodium hydroxide 40% (K), Sulphuric acid 96% (L), Nitric acid 65% (M), Acetic acid 99% (N), Ammonia water 25% (O), Hydrogen peroxide 30% (P), Hydrofluoric acid 40% (S), Formaldehyde 37% (T)

EN ISO 374-1:2016 / Type A



A C J K L M N O P S T

EN ISO 374-5:2016



EN 407:2004



X 1 X X X X

EN 388:2016



3 1 2 1 X

Performance class in accordance with EN 388 3 1 2 1 X

Performance class in accordance with EN 407 X 1 X X X X

Manufacturer address

UVEX SAFETY Gloves GmbH & Co. KG
Elso-Klöver-Str. 6
D-21337 Lüneburg
uvex-safety.de

Outer shoe material Cotton

Coating Chloroprene, Nitrile rubber (NBR)

Coating surface area Fully coated

Coating thickness 0.40 mm

Type With gauntlet

Colour Orange