

Product data sheet for uvex rubiflex S



As well as being comfortable to wear, the uvex rubiflex stockinette chemical protection glove offers a high level of protection against a diverse range of chemical and mechanical risks. With outstanding tactile feel, touch monitors can also be operated while wearing the glove – in the chemical, automotive and even food industry.

Characteristics

- Ergonomic fit
- Good grip
- Very good tactile feel
- Extremely flexible

Material number	60224
	6 - 11
Standard	EN 420:2003 + A1:2009, EN 388:2016, EN ISO 374-1:2016

EN ISO 374-1:2016 / Type A



JKN OPT

EN 388:2016



2 1 1 1 X



Test chemicals	n-Heptane (J), Sodium hydroxide 40% (K), Acetic acid 99% (N), Ammonia water 25% (O), Hydrogen peroxide 30% (P), Formaldehyde 37% (T)
-----------------------	--

Performance class in accordance with EN 388 2 1 1 1 X

Outer shoe material	Cotton interlock
Coating	Nitrile rubber (NBR)
Coating surface area	Fully coated
Coating thickness	0.40 mm
Type	With gauntlet
Colour	Blue

MADE IN GERMANY

Manufacturer address

UVEX SAFETY Gloves GmbH & Co. KG
Elso-Klöver-Str. 6
D-21337 Lüneburg
uvex-safety.de