

## Product data sheet for uvex u-chem N35 cut D



The uvex u-chem N35 cut D offers an outstanding combination of high cut protection and chemical protection; The lined NBR chemical protection glove with SandyGrip coating on the palm ensures optimal grip in wet and oily areas; It offers good resistance to greases, mineral oils and common chemicals; The hi-vis coloured inner liner also warns the wearer of chemical penetration as the liner becomes visible when the coating is damaged by cuts; good tactile feel

### Features

- Liquid-tight
- Good grip
- Dirt-resistant coating
- Excellent abrasion resistance

### Suitability for industrial working environments

- Suitable for wet and oily work environments

### Manufacturer address

UVEX SAFETY Gloves GmbH  
 Elso-Klöver-Str. 6  
 D-21337 Lüneburg  
 uvex-safety.de

<b>Material number</b>	60718
<b>Sizes</b>	7,8,9,10,11,12
<b>Standard</b>	EN ISO 374-1:2016, EN 388:2016 + A1:2018, EN 407:2020, EN ISO 374-5:2016
<b>Test chemicals</b>	n-Heptane (J), Sodium hydroxide 40% (K), Sulphuric acid 96% (L), Ammonia water 25% (O), Hydrogen peroxide 30% (P), Formaldehyde 37% (T)
<b>Performance classes in accordance with EN 388</b>	4 X 4 2 D
<b>Performance classes in accordance with EN 407</b>	X 1 X X X X
<b>Outer material</b>	High-performance polyethylene (HPPE), Fibreglass, Polyamide (PA), Elastane
<b>Coating</b>	NBR
<b>Coating surface area</b>	Fully coated
<b>Coating thickness</b>	0.40 mm
<b>Type</b>	With gauntlet
<b>Colour</b>	Green, Petrol
<b>Glove length</b>	35 cm