

Product data sheet uvex silv-Air 5210 FFP2 NR D - small



Product information

Product features	<ul style="list-style-type: none"> • Particle-filtering flat fold mask with exhalation valve • Protection level FFP2 • Ergonomically adapted for smaller to medium-sized face shapes • Innovative design with optimized shape • Soft material edges for high wearing comfort • Continuous head band (adjustable) for a comfortable and secure fit • The masks are individually packed • Exhalation valve reduces breathing resistance and build-up of heat and moisture in the mask • Flexible and adjustable nose clip • Compatible with uvex safety eyewear • Soft sealing lip (nose area) guarantees a secure, comfortable sealed position of the mask • Mask fulfils the requirements of the dolomite dust test (D) 	
Materials	Headband:	textile
	Adjustment piece:	silicone
	Nose clip:	aluminum
	Filter / mask:	Melt blown PP, Polyester
	Sealing lip:	PVC
	Valve:	95% recycled ABS
Weight	17 g	
Standard	EN 149:2001 + A1:2009	

Versions

Article number	Colour/Version	Retail unit
8735210	folding mask FFP2, white with valve, small to medium version	15 pcs. per box
8735211	folding mask FFP2, white with valve, large version	15 pcs. per box

Packaging sizes

Box	approx. 300 x 220 x 100 mm
Outer Carton	approx. 620 x 400 x 470 mm

Maximum breathing resistance acc. to EN149 in mbar

	Inhalation resistance 30l/min.	Inhalation resistance 95l/min.	Exhalation resistance 160l/min.
FFP1	0,6	2,1	3,0
FFP2	0,7	2,4	3,0
FFP3	1,0	3,0	3,0

Areas of use*

The respiratory protection mask can be used against solid, aqueous and non-volatile liquid aerosols up to 10 times the respective limit values.	Woodworking, softwood, cement, metal, smog, fine dust, concrete, iron dust, ash, cotton dust, fluoride, carbon fibres, gypsum, fibre glass, copper, nickel, soot, pollen, house dust, pet hair.
--	---

*Please note that the above mentioned areas of use are examples only. The selection of PPE needs to be carried out by a competent person, in conjunction with relevant and current legislation.

All respiratory protective devices fall into PPE category III (high risks).

Uvex accepts no liability for any possible harm or damage which may result from this information.
This data sheet does not replace a detailed risk assessment nor seeking specialist advice.

UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189, D-90766 Fürth