

Breathing Protection

01.03.2021

Product data sheet uvex silv-Air 7333 FFP3 R D



Product information

 Particle-filtering cup shape mask with exhalation valve Protection level FFP 3 High-Performance, three-chamber climazone system Innovative design with optimized shape Flexible headband – easy to fit Exhalation valve reduces breathing resistance and build-up of heat and moisture in the mask 2 extra filters with inhalation valve for low breathing resistance and more comfort High-quality uvex silv-Air outer material for best possible breathability Ultra-soft, all-round sealing lip Combination of 3D-shape and Sealing enable a perfect fit for almost any nose shape Mask fulfils the requirements of reusability (R) and the dolomite 	
dust test (D) Headband: textile Headband clips: Polypropylene Sealing lip: synthetic foam Nose clip: metal Filter/mask: PP, Polyester Valve: PP	
37 g	
EN 149:2001 + A1:2009	

Versions & Accessories

Article number	Colour/Version	Retail unit
8787333	cup shape mask FFP3, white with three- chamber-system	3 pcs. per box
8701011	uvex clear cleaning spray	1 can, 360ml

Packaging sizes

Box	approx. 125 x 175 x 255 mm
Outer Carton	approx. 610 x 320 x 400 mm

Maximum breathing resistance acc. to EN149 in mbar

	Inhalation resistance	Inhalation resistance	Exhalation resistance
	30I/min.	95l/min.	160I/min.
FFP1	0,6	2,1	3,0
FFP2	0,7	2,4	3,0
FFP3	1,0	3,0	3,0

Areas of use*

The respiratory protection mask can be used against solid, aqueous and nonvolatile liquid aerosols up to 30 times the respective limit values.	Woodworking, hard wood, chromium, asbestos (short periods of work), stainless steel, lead, welding, dust that contain beryllium, arsenic, cadmium or cobalt. Medical waste disposal, fungal spores, legionella bacteria, infections, viruses, bacteria, enzyme, nanoparticles.
---	--

^{*}Please note that the above mentioned areas of use are examples only. The selection of PPE needs to be carried out by a competent person, in conjunction with relevant and current legislation.

All respiratory protective devices fall into PPE category III (high risks).

Uvex accepts no liability for any possible harm or damage which may result from this information. This data sheet does not replace a detailed risk assessment nor seeking specialist advise.