

Product Datasheet model uvex pheos nxt guard 9128781

**UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,
D-90766 Fürth**

1. Product Characteristics

- classic-sporty, lightweight safety spectacle with innovative side arm structure for optimal, secure hold at all times
- uvex pheos nxt guard with directly injected additional frame offers additional protection against particles, dirt and dust combined with even greater wearer comfort
- ergonomically shaped side arms with grip structure and soft-grip temple ends provide a comfortable, secure fit without pressure
- increased air circulation for excellent climate-optimized wearing comfort thanks to numerous cuts outs in the side arms
- nose bridge designed for all-day comfort
- length-adjustable textile headband keeps the eyewear in position even during demanding work
- robust polycarbonate lens with uvex's proven supravision coating technology - permanent anti-fog and scratch-resistant lens
- UV400 - 100% protection against dangerous UV radiation up to 400 nm
- metal-free

2. Technical Details Body

Side arms

Material	PA / TPE
Features	climate-optimized wearing comfort
Colour	blue, anthracite

Headband

Material	textile
Features	length-adjustable
Colour	anthracite, black

Marking

Manufacturer 's ID code	W
Applicable EN norm	166
Field of use	3 (drops and splashes of liquid) 4 (large dust particles)
Impact resistance	F (45 m/s)
Resistance to high speed particles at extremes of temperature	T
Conformity symbol	CE

3. Technical Details Lens

Lens

Material	PC
Thickness	2.01 mm at PD
Coating	uvex supravision extreme
Colour	clear
UV protection	UV400

Soft component





Material	TPE
Colour	anthracite

Marking

Filter	2C-1.2 (EN 170)
Manufacturer 's ID code	W
Optical class	1
Impact resistance	F (45 m/s)
Resistance to high speed particles at extremes of temperature	T
Scratch resistance	K
Antifog	N
Conformity symbol	CE
Factory symbol	

4. Logistical Information

Product

Weight	42g		
Dimensions (L x W x H) in approx. mm	 picture only for reference		
	162 x 143 x 55		
	Packing unit 1	Packing unit 2	Packing unit 3
EAN Code	4066853029090	4066853029106	4066853029113
Quantity in pcs.	1	8	128
Dimensions (L x W x H) in approx. mm	 picture only for reference		
	80 x 145 x 60	185 x 290 x 97	600 x 400 x 400
Net weight in approx. g	42	336	5,376
Gross weight in approx. g	56	551	9,715
Country of Origin	Germany		

5. Miscellaneous

Standards	EN 166 + EN 170
PPE Category	Category II