

### Product Datasheet model uvex i-works 9194 265



**UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,  
D-90766 Fürth**

#### 1. Product Characteristics

- sporty, robust safety spectacle, available in a range of lens shades
- ergonomically shaped side arms with soft-grip temple ends provide a comfortable, secure fit without pressure
- nose bridge designed for all-day comfort
- robust polycarbonate lens with uvex's proven supravision coating technology – permanent anti-fog and scratch-resistant lens
- UV400 – 100% protection against dangerous UV radiation up to 400 nm
- fits the uvex IES
- a sustainable benefit: lenses can be replaced when required
- metal-free

#### 2. Technical Details Body

##### Front piece





|          |            |
|----------|------------|
| Material | TPU        |
| Colour   | anthracite |

| <b>Side arms</b>                                              |                  |
|---------------------------------------------------------------|------------------|
| Material                                                      | TPU/TPE          |
| Colour                                                        | anthracite, lime |
| <b>Marking</b>                                                |                  |
| Manufacturer 's ID code                                       | W                |
| Applicable EN norm                                            | 166              |
| Impact resistance                                             | F (45 m/s)       |
| Resistance to high speed particles at extremes of temperature | T                |
| Conformity symbol                                             | CE               |

| <b>3. Technical Details Lens</b>                              |                                                                                     |
|---------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Material                                                      | PC                                                                                  |
| Thickness                                                     | 2.2 mm at PD                                                                        |
| Coating                                                       | uvex supravision excellence                                                         |
| Colour                                                        | Clear                                                                               |
| UV protection                                                 | UV400                                                                               |
| Replacement lens                                              | 9194255                                                                             |
| <b>Marking</b>                                                |                                                                                     |
| Filter                                                        | 2C-1.2 (EN 170)                                                                     |
| Manufacturer 's ID code                                       | W                                                                                   |
| Optical class                                                 | 1                                                                                   |
| Impact resistance                                             | F (45 m/s)                                                                          |
| Resistance to high speed particles at extremes of temperature | T                                                                                   |
| Scratch resistance                                            | K                                                                                   |
| Antifog                                                       | N                                                                                   |
| Conformity symbol                                             | CE                                                                                  |
| Factory symbol                                                |  |

## 4. Logistical Information

### Product

|                                               |                                                                                                                      |                                                                                     |                                                                                      |
|-----------------------------------------------|----------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| Weight                                        | 25g                                                                                                                  |                                                                                     |                                                                                      |
| Dimensions<br>(L x W x H)<br>in approx.<br>mm |  <p>picture only for reference</p> |                                                                                     |                                                                                      |
|                                               | 155 x 144 x 40                                                                                                       |                                                                                     |                                                                                      |
|                                               | <b>Packing unit 1</b>                                                                                                | <b>Packing unit 2</b>                                                               | <b>Packing unit 3</b>                                                                |
| EAN Code                                      | 4066853032892                                                                                                        | 4066853032908                                                                       | 4066853032915                                                                        |
| Quantity in<br>pcs.                           | 1                                                                                                                    | 10                                                                                  | 160                                                                                  |
| Dimensions<br>(L x W x H)<br>in approx.<br>mm |  <p>picture only for reference</p> |  |  |
|                                               | 80 x 146 x 65                                                                                                        | 185 x 290 x 97                                                                      | 600 x 400 x 400                                                                      |
| Net weight<br>in approx. g                    | 25                                                                                                                   | 250                                                                                 | 4,000                                                                                |
| Gross weight<br>in approx. g                  | 39                                                                                                                   | 495                                                                                 | 8,790                                                                                |
| Country of<br>Origin                          | Germany                                                                                                              |                                                                                     |                                                                                      |

## 5. Miscellaneous

|              |                 |
|--------------|-----------------|
| Standards    | EN 166 + EN 170 |
| PPE Category | Category II     |