

Product Datasheet model uvex pheos cx2 sonic 9309 064



**UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,
D-90766 Fürth**

1. Product Characteristics

- sporty, compact and extremely lightweight safety goggle
- very soft and flexible, ergonomic face seal for a custom fit and ultimate comfort
- indirect ventilation system increases air circulation
- very light, length-adjustable textile headband for a secure fit and individual adaptability
- robust polycarbonate lens with uvex's proven supravision coating technology – permanent anti-fog and scratch-resistant lens
- with uvex CBR65 lens technology:
 - **Contrast** – Contrast enhancement
 - **Bluelight** reduction
 - **Relaxed vision**
 - **65** – 65% transmission
- UV400 – 100 % protection against dangerous UV radiation up to 400 nm
- metal-free

2. Technical Details Body

Frame





Material	PP/TPE
Colour	white, black

Headband	
Material	textile
Features	length-adjustable
Colour	black, grey
Marking	
Manufacturer 's ID code	W
Applicable EN norm	166
Field of use	3 (drops and splashes of liquid) 4 (large dust particles)
Impact resistance	B (120 m/s)
Resistance to high speed particles at extremes of temperature	T
Conformity symbol	CE

3. Technical Details Lens	
Material	PC
Thickness	2.4 mm at PD
Coating	uvex supravision extreme
Colour	CBR65
Features tint	blue light reduction up to 50% at 450nm contrast enhancement
UV protection	UV400
Marking	
Filter	5-1.4 (EN 172)
Manufacturer 's ID code	W
Optical class	1
Impact resistance	B (120 m/s)
Resistance to high speed particles at extremes of temperature	T
Scratch resistance	K
Antifog	N
Conformity symbol	CE
Factory symbol	

4. Logistical Information

Product

Weight	34g		
Dimensions (L x W x H) in approx. mm	 picture only for reference		
	60 x 150 x 55		
	Packing unit 1	Packing unit 2	Packing unit 3
EAN-Code	4031101790350	4031101909783	4031101909776
Quantity in pcs.	1	10	160
Dimensions (L x W x H) in approx. mm	 picture only for reference		
	65 x 165 x 58	185 x 290 x 97	600 x 400 x 400
Net weight in approx. g	34	340	5,440
Gross weight in approx. g	48	585	10,230
Country of Origin	Germany		

5. Miscellaneous

Standards	EN 166 + EN 172
PPE Category	Category II