

Product Datasheet model uvex hypervision 9321 902

**UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,
D-90766 Fürth**

1. Product Characteristics

- functional goggles in an appealing, modern design with a large field of vision for a wide range of applications
- optimised lens design for edge-to-edge optical clarity and increased safety
- soft, adaptive face seal provides a universal fit for different head and facial shapes as well as a tight fit without pressure points
- wide nose bridge provides optimal compatibility with respiratory masks
- generous internal volume and recesses for the side arms of the glasses allow comfortable wear without pressure points, even for spectacle wearers
- indirect ventilation system increases air circulation
- length-adjustable textile headband with multi-incline points allows for a high level of individualisation to ensure a good fit for all facial shapes and head widths
- with cellulose acetate lens featuring anti-fog performance on the inside and UV380 protection
- a sustainable benefit: lenses can be replaced when required
- metal-free

2. Technical Details Body

Frame

Material	PVC
Version	indirect ventilation “asian fit” acc. to test head 2-M, EN ISO 16321
Colour	grey translucent

Headband

Material	synthetic
Features	individual length adjustment, multi-incline points
Colour	anthracite, blue

Marking




Manufacturer´s ID code	W
Applicable EN ISO norm	16321
Impact resistance	D (80 m/s)
Test head size	2-M
Field of use	3 (drops and splashes of liquid) 4 (large dust particles) 6 (high-pressure liquid flows)
Conformity symbol	CE

3. Technical Details Lens

Material	PC
Thickness	1.0 mm at PD
Coating	Anti-fog on the inside
Tint	clear
Features tint	Signal colour recognition
UV protection	UV380
Replacement lens	9321655
Marking	
Manufacturer 's ID code	W
Filter	UL
Tinting level	1.2
Impact resistance	D (80 m/s)
Optical class	1
Antifog	N
Conformity symbol	CE
Factory symbol	

4. Logistical Information

Product

Weight	95g		
Dimensions (L x W x H) in approx. mm	 picture only for reference		
	84 x 191 x 90		
	Packing unit 1	Packing unit 2	Packing unit 3
EAN Code	4066853036869	4066853036876	4066853036883
Quantity in pcs.	1	4	64
Dimensions (L x W x H) in approx. mm	 Bild nur als Referenz		
	85 x 210 x 90	185 x 290 x 97	600 x 400 x 400
Net weight in approx. g	95	380	6.080
Gross weight in approx. g	111	547	9.650
Country of Origin	Czech Republic		

5. Miscellaneous

Standards	EN ISO 16321-1
PPE Category	Category II